


# INSTRUCTION GUIDE



## SWITCHING TO THE CLEAR CHOICE SYSTEM

Remove the spa filter. Open and centre all spa jet and air valves. Add Clear Choice Spa Prep as per label directions to spa water. Let spa heat and circulate for the proper time period (3-days for new spas, 5-7 days for spas that have been treated with traditional chemical oxidisers). Spas may be used during this purge process, although spa water may become cloudy as the product works.

## NEW OR EMPTY SPAS

Fill spa with water (no hose Pre-filter needed) and purge your spa using the directions above.

## AFTER PURGING SPA

Drain spa water. When water stops draining, turn spa power on. Run all spa jets for 5 seconds. This will blow out all the dirty water trapped in the spa plumbing. Do not walk away or leave spa jets or power on for any longer than a couple seconds, as you may damage your spa's mechanical equipment. Remove all remaining water and wipe spa dry, using a soft towel or sponge. Close spa drain. Reinstall clean spa filters and/or boots.

## FILL SPA WITH FRESH WATER

Attach a new Clear Choice Pre-filter to a standard garden hose. Flush the Pre-filter for 1 minute before placing in spa. Fill spa with water. The Pre-filter removes unwanted metals and minerals from fresh water. Follow the same procedure when adding top up water to spa when needed.

## ADD SPA WATER TREATMENT

Follow dosage guidelines on back label of Clear Choice Spa Drops

## FILTER & BOOT CLEANING

Weekly-rinse with high pressure water. Monthly-soak overnight in clean water and 3 cups of white vinegar. Rinse spa filters and Micron Boots well with high pressure clean water before reinstalling in spa.

## SPA COVER

Clean top and bottom of cover with a good household degreasing cleaner. Rinse well with clean water.

## INSTALLING MICRON BOOTS AND/OR FILTER SLEEVES

**MICRON BOOTS:** 3" or 5" boot install on 1 or more intake grills located at ankle height in spa foot well area. These grills are where spa pumps draw in water for circulation, filtering and jet activation. You can install as many Micron Boots as desired, but normally 1 or 2 placed on the grill(s) that connect to the spas constant or timed filter cycling is adequate. To install boots, roll back the elastic edge, and fold over in place. If after installing Micron Boots you find that they are restricting water flow through the lines attached to or are causing spa pumps to shut down; cut a small hole in the centre of the Micron Boot to improve water flow, try placing the Micron Boot on another intake grill or just stop using them at all. Often, you will find that after a few months your spa will function just fine without using the Micron Boots on a full time basis.

**FILTER SLEEVES:** Remove the spa cartridge filter from your spa. Wrap the Filter Sleeve around the spa cartridge filter and secure it firmly with the attached fabric ties. Reinstall the unit in your spa. The Filter Sleeve is designed to fit most spa cartridge filters. The sleeve is based on area coverage and may or may not cover your entire spa cartridge filter.

## OZONATORS

Clear Choice is compatible with ozone units, but they are not required for this natural system to work.

## pH & ALKALINITY

Normally adjustments are not needed. The Clear Choice System will automatically settle water pH at 7.8 thru 8.2 and stabilize alkalinity. Your spa and skin are protected from damage by the water Pre-filter and special conditioning agents contained in the Spa Prep and to Water Purifier.

## NEW & NEWLY CONVERTED SPAS

Check and maintain a water pH of 7.6 for the first 2 months using pH test strips and any common pH down product available from your local pool and spa store. After that period pH adjustments should not be necessary as you continue to use The Clear Choice System.

## OVERDOSING

Using too much Clear Choice Spa Water Purifier is the most common problem with this system. Initial overdosing symptoms are excessive buildup of amber or brown residue at the water line and /or around jets. This can also be accompanied by green or brown tinted water. Soon after the water clarity and odour will be affected. If this happens clean your spa filters and Micron Boots daily and skip your next 1 - 2 treatments. When you resume weekly spa water treatment reduce your dosage amount and clean spa filters and Micron Boots as directed above.

## SILKY RESIDUE

Odourless and colourless residue on spa shell are harmless salts. Residue will dissipate with time.

## WHITE CLOUDY WATER

After water changes there is often a 1 or 2 week period of time when water is softening and changing molecularly. During this period, water may look white and cloudy with no signs of overdosing. Add 1/2 of normal spa water treatment dose immediately. Rinse your spa filters and Boots thoroughly with clean water the following day.

## ROUGH SURFACE DEPOSITS

Sometimes soft or hard deposits will form on spa shell. This can be a result of some final chlorine or bromine salt deposits being flushed from spa plumbing that the Spa Prep purge did not completely remove. Normally these deposits will breakdown and disappear within 2 weeks. If deposits remain, add 2 cups of white vinegar to spa water. After 2 days, repeat vinegar treatment if necessary. Deposits will disappear within 2 weeks.

## GREEN TINTED WATER

Sometimes phosphates in your source water will create a green tint. This is harmless and should disappear with time. If the green tint continues, contact your local spa dealer. They can test your spa water and supply you with a good phosphate remover to correct the problem. A green tint can also result from not using a fresh Pre-filter when adding water to your spa. Metals like copper or nickel in non-filtered water are oxidizing.

## LIGHT MUSTY ODOR

Normal for a few customers during the first 1 - 4 weeks as the natural spa water system sets up. With time this odour (trapped Co2 gas) will only be noticeable when you open your spa cover and release the steam.

## FLOATING FLAKES

Light flakes in the water are a non-toxic buildup from the spa's plumbing. Clean spa filters and Boots more often. If flakes persist; add 60ml (2oz) of Spa Prep and 5 cups of white vinegar to spa water, wait 6 to 12 hours then change spa water.

If you have any questions please contact us on our toll-free number 1300 866 147 or visit our website.

clearchoiceaustralia.com.au | PO Box 1073, Willagee Central LPO, WA 6156

# SWIM SPA TREATMENT




Always premix swim spa treatment in 4 litres of fresh water. Pour the mixture around the perimeter of the spa. Run all spa jets for five minutes to distribute product evenly.

- 1** New swim spas & new users: add two bottles of "spa prep" and follow the bottle's label instructions, except that swim spas do not require the garden hose "pre-filter".
- 2** Add 15mL (0.5 oz) of swim spa treatment to water for the initial dose.
- 3** Every two weeks thereafter: add 7.5mL (0.25 oz) of swim spa treatment to spa water. (Reduce or skip dosage if swim spa is not used regularly or not at all during the prior two week period.)
- 4** Install a clear choice filter sleeve on swim spa cartridge filter for best results.
- 5** Rinse spa filters and filter sleeves weekly using clean water and a good spray nozzle. Monthly: remove spa filters and filter sleeves, soak in clean water and five cups of white vinegar overnight. Rinse well and reinstall before using spa.
- 6** Ph: new users and/or new spas, maintain a water ph of 7.6 For the first three months. After three months stop adjusting ph, let the water balance it self. Use any traditional ph down product along with test strips for this process.

## FILTER SLEEVE INSTRUCTIONS

- The Filter Sleeve enhances the filtering efficiency of the standard cartridge filter in your spa. It is designed to work with our Natural Swim Spa Water Treatment System.
- DIRECTIONS: Remove the spa cartridge filter from your spa. Wrap the Filter Sleeve around the spa cartridge filter and secure it firmly with the attached fabric ties. Reinstall the unit in your spa.
- The Filter Sleeve is designed to fit most spa cartridge filters. The sleeve is based on area coverage and may or may not cover your entire spa cartridge filter.
- Clean the Filter Sleeve weekly by spraying with high pressure water from your sink or garden hose.
- Monthly: Soak the sleeve in 1 cup of white vinegar for 1 hour, rinse well and then reinstall in spa.



If you have any questions please contact us on our toll-free number 1300 866 147 or visit our website.

[clearchoiceaustralia.com.au](http://clearchoiceaustralia.com.au) | PO Box 1073, Willagee Central LPO, WA 6156

# SWIMMING POOL TREATMENT



With Clear Choice Swimming Pool Treatment, you cut out all of your opening and closing chemicals. If you are taking care of your water the way traditionalists say to, you should be using a metal sequestering agent, algicide and chlorine when you open your pool and when you close it.

During the season if you use chemicals only, it is recommended that you maintain a level of chlorine of 1.5-3ppm (parts per million). By adding our Clear Choice Swimming Pool Treatment with its special blend of enzymes, bio-oxidizers and surfactants to your pool, you only need to maintain a level of .5ppm chlorine. About the same amount of chlorine in city tap water.

Aside from the cost savings, you will now be swimming in water that is as close to nature as we can get it in a swimming pool. Your pool walls, equipment, skin, eyes, hair, and bathing suit will all thank you for the decrease in chemicals.

- Vinyl and canvas liners or pool covers will much last longer.
- Pumps will not get the usual residue build up which shortens their life.
- Skin will feel soft, not dried out and tight, when you leave the water.
- You can swim with your eyes open under the water and it will not hurt.
- Your hair will stay soft, not dry and frizzy or turn green.
- Bathing suits will last longer.

## HOW DO YOU START?

- 1** When you open your pool or start the treatment for the first time you add 60 mL (2 oz) per 38,000 litres of water the first and second week.
- 2** Then, skip week three and add 30 mL (1 oz) per 38,000 litres every other week during the season, (week 4, 6, 8, etc).
- 3** As you get ready to close your pool, you add 60 mL (2 oz) per 38,000 litres the last two weeks then close the pool.

## REMEMBER...

Always mix Clear Choice Swimming Pool Treatment with 4 litres of water and pour evenly around the pool perimeter.

Maintain free chlorine level of 0.5ppm. Keep the pH and total alkalinity adjusted to traditional levels.

In a normal year, 16 x 30 mL (1 oz) doses will need to be added. So for a 38,000 litre pool you need 1 bottle of Clear Choice Swimming Pool Treatment a year, a 70,000 litre pool would need 2 bottles.

**Our enzymes are safe for your family & pets, your wallet and the environment. You can backwash your filter or drain the water right onto the lawn or other vegetation without any harm.**

If you have any questions please contact us on our toll-free number 1300 866 147 or visit our website.

[clearchoiceaustralia.com.au](http://clearchoiceaustralia.com.au) | PO Box 1073, Willagee Central LPO, WA 6156